



WINDOW SCHEDULE				
KEY	TYPE	SIZE	DESCRIPTION	COMMENTS
A	SHDL	2-30 60 MULLED	DOUBLE PANE, ALUM. FRAME, WHITE FINISH	
B	SHDL	30 60	DOUBLE PANE, ALUM. FRAME, WHITE FINISH	
C	FGDL	16 16	DOUBLE PANE, ALUM. FRAME, WHITE FINISH	

DOOR SCHEDULE				
KEY	TYPE	SIZE	DESCRIPTION	COMMENTS
1	ENTRANCE	60 80	METAL FRAME, FIXED GLASS ATRIUM	THRESHOLD NOT TO EXCEED 1/2" IN HT.
2	FLUSH	30 80	1 3/4" METAL INSUL. EXTERIOR	THRESHOLD NOT TO EXCEED 1/2" IN HT. (FUTURE DOOR)
3	FLUSH	28 68	1 3/8" MASONITE INTERIOR	
4	FLUSH	30 68	1 3/8" MASONITE INTERIOR	
5	N/A			

**FLOOR PLAN**

SCALE 1/4"=1'-0"

NOTES:  
 ALL PLATE HEIGHTS TO BE 10'-1 1/8" W/ 8'-0" WINDOW HEADER HEIGHTS UNLESS NOTED OTHERWISE.

ALL EXTERIOR FRAME WALLS TO BE 2X6 UNLESS NOTED OTHERWISE. PROVIDE TEMPERED GLASS WHERE REQUIRED.

LOCATION OF 1-HOUR RATED CONSTRUCTION.

CODE-IBC 3009  
 GROUP B/ TYPE V-B CONSTRUCTION

NOTE:  
 ALL BUILDING SIGNAGE TO COMPLY WITH TEXAS ACCESSIBILITY STANDARDS SECTION 4.3.2

An architect's professional seal, stamp and signature are required on all construction documents. This seal and signature are required on all construction documents. This seal and signature are required on all construction documents.

**KIPP FLORES ARCHITECTS**  
 © (512) 395-5477 fax (512) 395-5852  
 11776 Jollyville Rd., Suite 100 Austin, Texas 78759

All rights reserved. The arrangements depicted herein are the sole property of Kipp Flores Architects, and may not be reproduced in any form without its written permission. The copyright notice and use restrictions are Copyright Management Information under the Digital Millennium Copyright Act. It is included to protect and deter copyright infringement, and on such matter will be modified or omitted.